TAP Solutions from USRobotics Inline Copper and Fiber TAPs

MONITOR NETWORK TRAFFIC WITH THE NEW USROBOTICS COPPER AND FIBER TAPS





- Test Access Port
- A network device that is placed on an Ethernet segment which can then provide a copy of that traffic for analysis with network tools like Wireshark and Snort or other monitoring products.
- Permanent point of access to gather network intelligence.

Why USR?

- Trusted name and reputation in the industry for over 30 years
- Technology that "just works"
- Wide distribution and channel networks for quick availability

Why use TAPs?

- Provide a secure 24x7 point of access for network tools or for troubleshooting
- Passive devices and will not be a single point of failure
- Make copies of data in real-time with very little or no traffic delay
- Physical layer devices and able to provide all traffic over that link for analysis
- Low cost and a highly reliable way to provide data non-intrusively to network tools
- Can be used to provide the physical layer traffic to other aggregation devices complementing the collection from a SPAN or Port Mirror captures for improved analysis
- Retain use of ports on network switches
- Improve network performance in conjunction with numerous software/hardware tools by leading brands.



Target Customers

USRobotics

www.usr.co

LINK

- Companies who require 24x7 monitoring capability e.g. IDS , VoIP Recording etc.
- Service organizations who may need to "plug in" to conduct troubleshooting in support of an SLA agreement, avoiding SPAN or Port Mirror configuration of a switch or router which may be tied to a configuration change policy at the customer location
- Compliance Requirements where all data needs to be captured and analyzed combination of tapping and SPAN/Port Mirrors combine
- Companies looking to reduce operational expenses and mitigate risk



Richard Murphy

Country Manager Tel : +33(0)683889150 richard_murphy@usr.com

TAP Solutions from USRobotics Inline Copper and Fiber TAPs

USRobotics

TAP features

- Completely non-intrusive
- Redundant Power Supplies (non-fiber)
- Network traffic continues to flow even if power is lost to the tap
- Copper and Fiber; 10/100, 10/100/1000, 1G and 10G options

Non-Aggregated

- Full-duplex data capture of all traffic on a network link - data transferred to monitoring device in 2 halfduplex streams
- Require two Receive (RX) ports on the network tool interface to provide the ability to monitor both sides of the traffic

Aggregated

- Faultlessly combine 2 data streams, sending a single full-duplex data stream to the monitoring device
- Network Tool interface requires a single port capable of taking both a transmit and receive data stream
- Capable of providing data to two devices (ie. Snort or Wireshark)
- Passes traffic at line rate



Product Family



Product	Media Type	Speed	Inline	Aggregated	Passive* (Doesn't Break Link)	Relay FAILOVER	Traffic Injection	Network Ports	Monitor Ports	Port Types	Pass Errors	Pass PoE	MSRP Price ex Vat
USR4501	Copper	10/100	•	NO	•	n/a	NO	2	2 Half Duplex	RJ45	•	•	€370
USR4502	Copper	10/100 1000	•	NO	• NO	n/a ●	NO	2	2 Half Duplex	RJ45	•	•	€933
USR4505	Copper	10/100	•	•	•	n/a	NO	2	2 Full Duplex Connections	RJ45	•	•	€793
USR4506	Copper	10/100	•	•	NO	•	•	2	2 Full Duplex Connections	RJ45	•	NO	€854
USR4511	Fiber	1000SX 1 Gig OC3 OC48	•	NO	•	n/a	NO	2 Tx/Rx pairs	1 Rx Pair	50um SC 50/50 split	•	n/a	€446
USR4512	Fiber	1000LX 1 Gig OC3 OC48	•	NO	•	n/a	NO	2 Tx/Rx pairs	1 Rx Pair	9um SC 50/50 split	•	n/a	€446
USR4515	Fiber	10 Gig SR OC3 OC48	•	NO	•	n/a	NO	2 Tx/Rx pairs	1 Rx Pair	50um SC 50/50 split	•	n/a	€554
USR4516	Fiber	10 Gig LR OC3 OC48	•	NO	•	n/a	NO	2 Tx/Rx pairs	1 Rx Pair	9um SC 50/50 split	•	n/a	€554

* After installation

Richard Murphy

Country Manager Tel : +33(0)683889150 richard_murphy@usr.com

